



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Revision date 10-Aug-2023

Revision Number 7

## 1. Identification

### Product identifier

**Product name** JET-X 2% High Expansion Foam Concentrate

### Other means of identification

**Product code** 436879

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended use** No information available

**Uses advised against** No information available

### Details of the supplier of the safety data sheet

**Company Name** Tyco Fire Protection Products  
One Stanton Street  
Marinette, WI 54143-2542  
Telephone: 715-735-7411

**E-mail** psra@tycofp.com

**Company Phone Number** Product Stewardship at +1-715-735-7411

**Emergency telephone** CHEMTREC 001-800-424-9300 or 001-703-527-3887

## 2. Hazard(s) identification

### Classification

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (repeated exposure)	Category 2

### Label elements

#### **Signal word**

Warning

#### **Hazard Statements**

Causes serious eye irritation

May cause damage to organs through prolonged or repeated exposure

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Wear eye protection/ face protection

Do not breathe dust/fume/gas/mist/vapors/spray

**Precautionary Statements - Response**

Get medical advice/attention if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Not applicable

**Other information**

May be harmful if swallowed. Harmful to aquatic life.

**3. Composition/information on ingredients****Substance**

Not applicable.

**Mixture**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical name	CAS No	Weight-%	Trade secret
Sulfuric Acid, mono-C10-16 esters, Ammonium salts	68081-96-9	7 - 15	*
Ethylene Glycol	107-21-1	7 - 15	*
2-(2-Butoxyethoxy)ethanol	112-34-5	3 - 7	*
Dodecan-1-ol, ethoxylated, sulfates, Ammonium salts	32612-48-9	1 - 5	*
Lauryl Alcohol	112-53-8	1 - 5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

**4. First-aid measures****Description of first aid measures****General advice**

Show this safety data sheet to the doctor in attendance.



Inhalation	Remove to fresh air.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	Wash skin with soap and water.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

**Most important symptoms and effects, both acute and delayed**

Symptoms	May cause redness and tearing of the eyes. Burning sensation.
Effects of Exposure	May cause damage to organs through prolonged or repeated exposure.

**Indication of any immediate medical attention and special treatment needed**

Note to physicians	Treat symptomatically.
--------------------	------------------------

**5. Fire-fighting measures**

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	No information available.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

**6. Accidental release measures****Personal precautions, protective equipment and emergency procedures**

Personal precautions	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.

**Environmental Precautions**

Environmental Precautions	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. Prevent entry into waterways, sewers,
---------------------------	---



basements or confined areas. See Section 12 for additional Ecological Information.

#### **Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

## **7. Handling and storage**

#### **Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.

#### **Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

## **8. Exposure controls/personal protection**

#### **Control parameters**

##### **Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Ethylene Glycol 107-21-1	STEL: 50 ppm vapor fraction STEL: 10 mg/m <sup>3</sup> inhalable particulate matter, aerosol only TWA: 25 ppm vapor fraction	-	-
2-(2-Butoxyethoxy)ethanol 112-34-5	TWA: 10 ppm inhalable fraction and vapor	-	-

#### **Appropriate engineering controls**

**Engineering controls** Showers  
Eyewash stations  
Ventilation systems.

#### **Individual protection measures, such as personal protective equipment**

**Eye/face protection** If splashes are likely to occur, wear safety glasses with side-shields.

**Hand protection** Wear suitable gloves.

**Skin and body protection** Wear suitable protective clothing.

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.



## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Physical state	Liquid
Appearance	No information available
Color	colorless
Odor	Slight
Odor threshold	No information available

Property	Values	Remarks • Method
pH	7	None known
pH (as aqueous solution)		None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	100 °C / 212 °F	
Flash point	100 °C / 212 °F	
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
<b>Other information</b>		
Explosive properties	No information available	
Oxidizing properties	No information available	
Softening point	No information available	
Molecular weight	No information available	
VOC content	19.0105	
Liquid Density	No information available	
Bulk density	No information available	

## 10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	Strong oxidizing agents, strong acids, and strong bases.
Hazardous decomposition products	None known based on information supplied.

## 11. Toxicological information

### Information on likely routes of exposure

#### Product Information

<b>Inhalation</b>	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Symptoms</b>	May cause redness and tearing of the eyes.
-----------------	--

### Acute toxicity

#### Numerical measures of toxicity

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethylene Glycol 107-21-1	= 4700 mg/kg ( Rat )	= 10600 mg/kg ( Rat )	> 2.5 mg/L ( Rat ) 6 h
2-(2-Butoxyethoxy)ethanol 112-34-5	= 5660 mg/kg ( Rat )	= 2700 mg/kg ( Rabbit )	-
Dodecan-1-ol, ethoxylated, sulfates, Ammonium salts 32612-48-9	= 630 mg/kg ( Rat )	-	-
Lauryl Alcohol 112-53-8	> 12800 mg/kg ( Rat )	= 11300 mg/kg ( Rabbit )	= 71 mg/L ( Rat ) 1 h

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Skin corrosion/irritation</b>	May cause skin irritation.
<b>Serious eye damage/eye irritation</b>	Classification based on data available for ingredients. Causes serious eye irritation.
<b>Respiratory or skin sensitization</b>	No information available.
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	No information available.
<b>Reproductive toxicity</b>	No information available.

<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	May cause damage to organs through prolonged or repeated exposure.
<b>Target organ effects</b>	Respiratory system, Eyes, Skin, Central nervous system.
<b>Aspiration hazard</b>	No information available.
<b>Other adverse effects</b>	No information available.
<b>Interactive effects</b>	No information available.

## 12. Ecological information

**Ecotoxicity** Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sulfuric Acid, mono-C10-16 esters, Ammonium salts 68081-96-9	EC50 (96h) = 42 mg/L Desmodesmus subspicatus	-	-	-
Ethylene Glycol 107-21-1	EC50 (96h) 6500 - 13000 mg/L Pseudokirchneriella subcapitata	LC50 (96h) = 41000 mg/L Oncorhynchus mykiss LC50 (96h) static 14 - 18 mL/L Oncorhynchus mykiss LC50 (96h) static = 27540 mg/L Lepomis macrochirus LC50 (96h) static = 40761 mg/L Oncorhynchus mykiss LC50 (96h) static 40000 - 60000 mg/L Pimephales promelas LC50 (96h) static = 16000 mg/L Poecilia reticulata	-	EC50 (48h) = 46300 mg/L Daphnia magna
2-(2-Butoxyethoxy)ethanol 112-34-5	EC50 (96h) > 100 mg/L Desmodesmus subspicatus	LC50 (96h) static = 1300 mg/L Lepomis macrochirus	-	EC50 (48h) > 100 mg/L Daphnia magna
Lauryl Alcohol 112-53-8	EC50 (96h) = 0.62 mg/L Desmodesmus subspicatus	LC50 (96h) flow-through = 1.01 mg/L Pimephales promelas LC50 (96h) = 0.1855 mg/L Pimephales promelas	-	EC50 (48h) = 320 mg/L Daphnia magna

**Persistence and degradability** No information available.



**Biodegradability (B.O.D./C.O.D.)** BOD/COD analysis  
Concentrate:  
BOD5: 310000 mg/L  
COD: 900000 mg/L

Diluted

BOD5: 431667 mg/L

BOD10: 560000 mg/L

BOD15: 750000 mg/L  
COD: 900608 mg/L

**Bioaccumulation** There is no data for this product.

Chemical name	Partition coefficient
Ethylene Glycol 107-21-1	-1.36
2-(2-Butoxyethoxy)ethanol 112-34-5	1
Lauryl Alcohol 112-53-8	5.4

**Other adverse effects** No information available.

### 13. Disposal considerations

#### Disposal methods

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

### 14. Transport information

**DOT** Not regulated

**TDG** Not regulated

**MEX** Not regulated

**ICAO (air)** Not regulated

**IATA** Not regulated

**IMDG** Not regulated

### 15. Regulatory information



**International Inventories**

TSCA Complies

DSL/NDSL Complies  
EINECS/ELINCS Does not comply  
ENCS Does not comply  
IECSC Complies  
KECL Complies  
PICCS Complies  
AIIC Complies  
NZIoC Complies

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AIIC** - Australian Inventory of Industrial Chemicals  
**NZIoC** - New Zealand Inventory of Chemicals

**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Ethylene Glycol - 107-21-1	1.0
2-(2-Butoxyethoxy)ethanol - 112-34-5	1.0

**SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Ethylene Glycol 107-21-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

**US State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals:



436879 - JET-X 2% High Expansion Foam Concentrate

Revision date 10-Aug-2023

Chemical name	California Proposition 65
Ethylene Glycol - 107-21-1	Developmental
Ethanol - 64-17-5	Carcinogen Developmental
Sodium O-Phenylphenate - 132-27-4	Carcinogen
Diethanolamine - 111-42-2	Carcinogen

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	X
Ethylene Glycol 107-21-1	X	X	X
2-(2-Butoxyethoxy)ethanol 112-34-5	X	-	X
Ethanol 64-17-5	X	X	X
Ammonium sulfate, technical 7783-20-2	-	X	X
Triethanolamine 102-71-6	X	X	X
Sodium O-Phenylphenate 132-27-4	X	X	-
Diethanolamine 111-42-2	X	X	X
Sodium Hydroxide 1310-73-2	X	X	X

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

### 16. Other information

<b>NFPA</b>	<b>Health hazards</b> 4	<b>Flammability</b> 1	<b>Instability</b> 0	<b>Special hazards</b> -
<b>HMIS</b>	<b>Health hazards</b> 4 *	<b>Flammability</b> 1	<b>Physical hazards</b> 0	<b>Personal protection</b> X

#### Key or legend to abbreviations and acronyms used in the safety data sheet

##### **Legend Section 8: Exposure controls/personal protection**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

#### **Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AEGL(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
National Institute of Technology and Evaluation (NITE)



**436879 - JET-X 2% High Expansion Foam Concentrate**

**Revision date** 10-Aug-2023

---

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
Organization for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

**Revision date** 10-Aug-2023  
**Revision Note** No information available.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**